
 TRADEBE	Technical Data Sheet and Specification	IDA-96%
		80002093

Technical Data	
Boiling Point (Range)	64-100°C
Flashpoint (closed cup)	11°C (Methanol)
Solubility in Water	100%
Water solubility in solvent	100%

Product Specification	Limits	Test Method
SG @20°C	Record, typically 0.805	P72, P78
Water Content % w/w	6.60 % maximum	P86
Water Content % v/v	3.9-4.3 % v/v	
GC Assay % v/v	*95.7-96.1 % v/v minimum (Ethanol + Methanol) **Wood Naphtha substitute 5% w/w maximum Other solvents 0.5% w/w maximum	P36
Appearance	20 HU maximum Clear colourless liquid free from Suspended matter	P19 P6
Solids %w/w	0.005%	P69
Water Miscibility	Complete in all proportions in deionized water	P43
* Equivalent to 93.2-94.0 % w/w		
**Methanol max 5% w/w with 200ppm Bitrex		

Hazard Data	GHS
CAS no: 64-17-5 EU Index: 603-002-00-5 EC no: 200-578-6 MSDS no: 10577	Danger H225, H332, H371 P271, P210, P233, P370+378, P403+235, P501, P240, P241, P242, P243, P260, P270, P405, P304+340, P303+361+353, P280, P264 <div style="text-align: center;">  </div>

UN No:	UN Class:	PG	EAC Code:	HIN No:	UK Tunnel code:	Packaging Supplied in
1987	3	II	3YE	33	(D/E)	Bulk, Isotank, PG II Drum

Note: Shelf life 12 months

Customer Sign..... TSR Sign.....
 Date..... Date.....

This information is accurate to the best knowledge of the Company. Tradebe Solvent Recycling (TSR) Limited accepts no liability whatsoever arising out of the use of the information or any use, application, adaptation or processing of the product described herein	First issued:	23/03/2015
	Rev. no:	2
	Rev. issue Date:	30/03/2016